


SPLIT LOAD - DUAL RCD 17th EDITION AMENDMENT 3:2015



- 32mm & 25mm knockouts on sides & large radius knockouts on rear
- Flexible Busbar Configuration
- Top Hinge Door
- Generous Internal Space


Code	Dimensions (cm)		
	A	B	C
ME171463	30.5	23.5	11
ME171480			
ME171663	34.1	23.5	11
ME171680			
ME171863	37.7	23.5	11
ME171880			
ME172180	43.1	23.5	11



OUTER BOX

Part No	Description	
ME171463	17th Edition 14 Module 8 Free Ways c/w 2 x 63a 30ma RCD, 1 x 100a D/P Mains Switch & Flexi Busbar	6
ME171480	17th Edition 14 Module 8 Free Ways c/w 2 x 80a 30ma RCD, 1 x 100a D/P Mains Switch & Flexi Busbar	6
ME171663	17th Edition 16 Module 10 Free Ways c/w 2 x 63a 30ma RCD, 1 x 100a D/P Mains Switch & Flexi Busbar	6
ME171680	17th Edition 16 Module 10 Free Ways c/w 2 x 80a 30ma RCD, 1 x 100a D/P Mains Switch & Flexi Busbar	6
ME171863	17th Edition 18 Module 12 Free Ways c/w 2 x 63a 30ma RCD, 1 x 100a D/P Mains Switch & Flexi Busbar	4
ME171880	17th Edition 18 Module 12 Free Ways c/w 2 x 80a 30ma RCD, 1 x 100a D/P Mains Switch & Flexi Busbar	4
ME172180	17th Edition 21 Module 15 Free Ways c/w 2 x 80a 30ma RCD, 1 x 100a D/P Mains Switch & Flexi Busbar	4

SUR402P



Good discharge capacity, suitable for single phase, TN-C, TN-C-S, IT and TT power distribution system
 Adopt energy rich voltage dependent resistor, nanosecond level speed of response
 Capacity of overheated and surge protection
 Visual display on the protector and remote signal terminal
IEC/EN 61643-1



Part No	Description	INNER BOX	OUTER BOX
SUR402P	2P 40KA Surge Arrester	1	50

SUR2MOD




Part No	Description	INNER BOX	OUTER BOX
SUR2MOD	2 Mod Enclosure c/w 2P 40ka SPD	1	16

MAINS SWITCH UNITS 17th EDITION AMENDMENT 3:2015



- 32mm & 25mm knockouts on sides & large radius knockouts on rear
- Flexible Busbar Configuration
- Top Hinge Door
- Generous Internal Space

Code	Dimensions (cm)		
	A	B	C
ME4MS	12.5	23.5	11
ME6MS	16.1	23.5	11
ME8MS	19.7	23.5	11
ME10MS	23.3	23.5	11
ME14MS	30.5	23.5	11
ME16MS	34.1	23.5	11
ME18MS	37.7	23.5	11
ME21MS	43.1	23.5	11




Part No	Description	INNER BOX	OUTER BOX
ME4MS	Mains Switch 4 Module 2 Free Ways c/w 100a D/P Mains Switch & Flexi Busbar	1	12
ME6MS	Mains Switch 6 Module 4 Free Ways c/w 100a D/P Mains Switch & Flexi Busbar	1	6
ME8MS	Mains Switch 8 Module 6 Free Ways c/w 100a D/P Mains Switch & Flexi Busbar	1	6
ME10MS	Mains Switch 10 Module 8 Free Ways c/w 100a D/P Mains Switch & Flexi Busbar	1	6
ME14MS	Mains Switch 14 Module 12 Free Ways c/w 100a D/P Mains Switch & Flexi Busbar	1	6
ME16MS	Mains Switch 16 Module 14 Free Ways c/w 100a D/P Mains Switch & Flexi Busbar	1	6
ME18MS	Mains Switch 18 Module 16 Free Ways c/w 100a D/P Mains Switch & Flexi Busbar	1	4
ME21MS	Mains Switch 21 Module 19 Free Ways c/w 100a D/P Mains Switch & Flexi Busbar	1	4

RCD UNITS 17th EDITION AMENDMENT 3:2015



- 32mm & 25mm knockouts on sides & large radius knockouts on rear
- Flexible Busbar Configuration
- Top Hinge Door
- Generous Internal Space

Code	Dimensions (cm)		
	A	B	C
ME4R	12.5	23.5	11
ME6R	16.1	23.5	11
ME8R	19.7	23.5	11
ME10R	23.3	23.5	11
ME14R	30.5	23.5	11




Part No	Description	INNER BOX	OUTER BOX
ME4R	RCD 4 Module 2 Free Ways c/w 63a 30ma RCD & Flexi Busbar	1	12
ME6R	RCD 6 Module 4 Free Ways c/w 63a 30ma RCD & Flexi Busbar	1	6
ME8R	RCD 8 Module 6 Free Ways c/w 63a 30ma RCD & Flexi Busbar	1	6
ME10R	RCD 10 Module 8 Free Ways c/w 80a 30ma RCD & Flexi Busbar	1	6
ME14R	RCD 14 Module 12 Free Ways c/w 80a 30ma RCD & Flexi Busbar	1	6

GARAGE UNITS AMENDMENT 3:2015



Dimensions (mm)			
A	B	C	D
180	125	90	110

32mm/25mm Knockouts




Part No	Description		
		INNER BOX	OUTER BOX
MEGU616/63	Garage Unit 4 Module c/w 63a 30ma	1	12
MEGU632/63	Garage Unit 4 Module c/w 63a 30ma RCD, 1 x 6a MCB & 1 x 32a MCB	1	12

SHOWER UNIT AMENDMENT 3:2015



Dimensions (mm)			
A	B	C	D
180	125	90	110

32mm/25mm Knockouts




Part No	Description		
		INNER BOX	OUTER BOX
MESHO50/63	Shower Unit 3 Module c/w 63a 30ma	1	12

ME4/FSU AND FUSES



- Ideal for the Protection & Isolation of Incoming Supplies
- Single Phase & Switched Neutral
- 35mm² Max Cable Capacity
- BS EN61439-3 Compliant

W 173
H 252
D 108



Part No	Description		
		INNER BOX	OUTER BOX
ME4/FSU	Metal 63a-100a Fused/Mains Switch Unit - No Fuse	1	16
FUSE/63A	63A Mains Switch Fuse	1	10
FUSE/80A	80A Mains Switch Fuse	1	10
FUSE/100A	100A Mains Switch Fuse	1	10




IP65 GARAGE UNITS



Flame Retardant ABS
Enclosure

Dimensions (mm)		
A	B	C
210	100	140




Part No	Description
EGU616/63	IP65 4 Way Garage Consumer Unit c/w 1 x 6a 6ka MCB, 1 x 16a 6ka MCB & 63a 30ma 2 Mod RCD
EGU632/63	IP65 4 Way Garage Consumer Unit c/w 1 x 6a 6ka MCB, 1 x 32a 6ka MCB & 63a 30ma 2 Mod RCD
EGU616/MS	IP65 4 Way Garage Consumer Unit c/w 1 x 6a 6ka MCB, 1 x 16a 6ka MCB & 100a 2 Mod Mains Switch

IP65 SHOWER UNIT



Flame Retardant ABS
Enclosure

Dimensions (mm)		
A	B	C
180	125	90



Part No	Description
ESHO/40	IP65 Shower Unit c/w 40a 2 Modular RCBO
ESHO50/63	IP65 Shower Unit c/w 50a 6ka MCB & 63a 30ma RCD

FSU80/100



- Non-Combustible Bakelite Material
- Supplied with Cable Shroud
- Supplied with 80A and 100A Fuses
- Max Cable Capacity 35mm²

BS EN 60947-3




Part No	Description
FSU80/100	Fused Switch Unit c/w 80a & 100a Fuse & Cable Cover

4 WAY IP65 MODULAR CONSUMER UNIT



IP65 4 Way empty consumer unit c/w
neutral & earth connections, rating labels &
blank plate
Flame Retardant ABS Enclosure



Dimensions (mm)

A	B	C
210	100	140


Part No	Description	Inner Box	Outer Box
HA4	4 Way Consumer Unit	1	20

8 WAY IP65 MODULAR CONSUMER UNIT



IP65 8 Way empty
consumer unit c/w
neutral & earth
connections, rating
labels & blank plate
Flame Retardant ABS
Enclosure

Dimensions (mm)		
A	B	C
210	100	215




Part No	Description	Inner Box	Outer Box
HA8	8 Way Consumer Unit	1	20

12 WAY IP65 MODULAR CONSUMER UNIT



IP65 12 Way empty
consumer unit c/w
neutral & earth
connections, rating
labels & blank plate
Flame Retardant ABS
Enclosure

Dimensions (mm)		
A	B	C
260	140	300



Part No	Description	Inner Box	Outer Box
HA12	12 Way Consumer Unit	1	10




18 WAY IP65 MODULAR CONSUMER UNIT



IP65 18 Way empty
consumer unit c/w
neutral & earth
connections, rating
labels & blank plate

Flame Retardant ABS
Enclosure



Dimensions (mm)		
A	B	C
285	140	410




Part No	Description	Inner Box	Outer Box
HA18	18 Way Consumer Unit	1	5

24 WAY IP65 MODULAR CONSUMER UNIT



IP65 24 Way empty
consumer unit c/w
neutral & earth
connections, rating
labels & blank plate

Flame Retardant
ABS Enclosure



Dimensions (mm)		
A	B	C
415	140	300



Part No	Description	Inner Box	Outer Box
HA24	24 Way Consumer Unit	1	5

ACCESSORIES—BUSBAR—BLANKS & MCB LOCK



Part No	Description
MECUB	Metal Blank



Part No	Description
PLK	MCB Lock Device



Part No	Description
MECUBB10	9 Pin Insulated Bar
MECUBB14	13 Pin Insulated Bar
MECUBB18	17 Pin Insulated Bar



METAL CLAD MODULAR UNITS (IP40) AMMENDMENT 3:2015

- Empty Unit c/w Dinrail



ME2S



ME2



ME4

Dimensions (mm)			
	H	W	D
ME2S	145	80	62
ME2	225	80	62
ME4	225	115	62



OUTER BOX

Part No	Description	
ME2S	2 Modular Small c/w 20mm Knockouts	24
ME2	2 Modular c/w 20mm Knockouts	16
ME4	4 Modular c/w 32mm/25mm Knockouts	16

METAL MODULAR ENCLOSURES



M2



M4

Dimensions (mm)			
	H	W	D
M2	145	80	60
M4	175	110	60



INNER BOX



OUTER BOX

Part No	Description		
M2	2 Way Metal Enclosure c/w 20mm Knockouts	1	36
M4	4 Way Metal Enclosure c/w 25/20mm Knockouts	1	24

IP20 PLASTIC CONSUMER UNITS



HG2



HG4

Dimensions (mm)			
	H	W	D
HG2	130	45	80
HG4	130	90	80
HG6	155	140	85
HG8	180	180	95



INNER BOX



OUTER BOX

Part No	Description		
HG2	2 Way Consumer Unit IP40	1	200
HG4	4 Way Consumer Unit IP40	1	100
HG6	6 Way Consumer Unit IP40	1	50
HG8	8 Way Consumer Unit IP40	1	30

RCBO B&C CURVE 1 POLE | BS EN61009-1



Part No	Description
RCBO1-630B	B Curve 6KA Single Pole RCBO - 6a 30ma
RCBO1-1030B	B Curve 6KA Single Pole RCBO - 10a 30ma
RCBO1-1630B	B Curve 6KA Single Pole RCBO - 16a 30ma
RCBO1-2030B	B Curve 6KA Single Pole RCBO - 20a 30ma
RCBO1-3230B	B Curve 6KA Single Pole RCBO - 32a 30ma
RCBO1-4030B	B Curve 6KA Single Pole RCBO - 40a 30ma
RCBO1-630C	C Curve 6KA Single Pole RCBO - 6a 30ma
RCBO1-1630C	C Curve 6KA Single Pole RCBO - 16a 30ma
RCBO1-3230C	C Curve 6KA Single Pole RCBO - 32a 30ma

MINI TYPE AC RCBO B CURVE



Part No	Description
RCBO1M-630B	6a 30ma Mini S/P RCBO
RCBO1M-1030B	10a 30ma Mini S/P RCBO
RCBO1M-1630B	16a 30ma Mini S/P RCBO
RCBO1M-2030B	20a 30ma Mini S/P RCBO
RCBO1M-2530B	25a 30ma Mini S/P RCBO
RCBO1M-3230B	32a 30ma Mini S/P RCBO
RCBO1M-3230B	40a 30ma Mini S/P RCBO

MINI TYPE A RCBO B CURVE



Part No	Description
RCBO1M/A-630B	6a 30ma Type A Mini S/P RCBO
RCBO1M/A-1030B	10a 30ma Type A Mini S/P RCBO
RCBO1M/A-1630B	16a 30ma Type A Mini S/P RCBO
RCBO1M/A-2030B	20a 30ma Type A Mini S/P RCBO
RCBO1M/A-2530B	25a 30ma Type A Mini S/P RCBO
RCBO1M/A-3230B	32a 30ma Type A Mini S/P RCBO

RCCB/RCD 2 POLE TYPE A | BS EN61008-1



Part No	Description	6 INNER BOX	60 OUTER BOX
RCD2/A-1630	Type A 2 Pole RCD - 16a 30ma		
RCD2/A-2530	Type A 2 Pole RCD - 25a 30ma		
RCD2/A-4030	Type A 2 Pole RCD - 40a 30ma		
RCD2/A-6330	Type A 2 Pole RCD - 63a 30ma		
RCD2/A-63100	Type A 2 Pole RCD - 63a 100ma		
RCD2/A-8030	Type A 2 Pole RCD - 80a 30ma		
RCD2/A-80100	Type A 2 Pole RCD - 80a 100ma		

RCCB/RCD 2 POLE | BS EN61008-1



Part No	Description	6 INNER BOX	60 OUTER BOX
RCD2-1630	2 Pole RCD - 16a 30ma		
RCD2-2530	2 Pole RCD - 25a 30ma		
RCD2-4030	2 Pole RCD - 40a 30ma		
RCD2-6330	2 Pole RCD - 63a 30ma		
RCD2-63100	2 Pole RCD - 63a 100ma		
RCD2-8030	2 Pole RCD - 80a 30ma		
RCD2-80100	2 Pole RCD - 80a 100ma		
RCD2-80100T	2 Pole RCD - 80a 100ma Time Delay		

RCCB/RCD 4 POLE | BS EN61008-1



Part No	Description	3 INNER BOX	30 OUTER BOX
RCD4-4030	4 Pole RCD - 40a 30ma		
RCD4-6330	4 Pole RCD - 63a 30ma		
RCD4-63100	4 Pole RCD - 63a 100ma		
RCD4-8030	4 Pole RCD - 80a 30ma		
RCD4-80100	4 Pole RCD - 80a 100ma		
RCD4-80100T	4 Pole RCD - 80a 100ma Time Delay		

RCBO B CURVE 2 POLE | BS EN61009-1



Part No	Description	6 INNER BOX	60 OUTER BOX
RCBO2-630B	B Curve 2 Pole RCBO - 6a 30ma		
RCBO2-1030B	B Curve 2 Pole RCBO - 10a 30ma		
RCBO2-1630B	B Curve 2 Pole RCBO - 16a 30ma		
RCBO2-2030B	B Curve 2 Pole RCBO - 20a 30ma		
RCBO2-2530B	B Curve 2 Pole RCBO - 25a 30ma		
RCBO2-3230B	B Curve 2 Pole RCBO - 32a 30ma		
RCBO2-4030B	B Curve 2 Pole RCBO - 40a 30ma		



Circuit Protection

MCBS, MAINS SWITCH,
BELL TX & CONTACTORS

MCB B & C CURVE 1 POLE 6KA | BS EN60898-1



Part No Description

B6B1-6	MCB B Curve 6KA Single Pole - 6a
B6B1-10	MCB B Curve 6KA Single Pole - 10a
B6B1-16	MCB B Curve 6KA Single Pole - 16a
B6B1-20	MCB B Curve 6KA Single Pole - 20a
B6B1-25	MCB B Curve 6KA Single Pole - 25a
B6B1-32	MCB B Curve 6KA Single Pole - 32a
B6B1-40	MCB B Curve 6KA Single Pole - 40a
B6B1-50	MCB B Curve 6KA Single Pole - 50a
B6B1-63	MCB B Curve 6KA Single Pole - 63a



Part No Description

B6C1-6	MCB C Curve 6KA Single Pole - 6a
B6C1-10	MCB C Curve 6KA Single Pole - 10a
B6C1-16	MCB C Curve 6KA Single Pole - 16a
B6C1-20	MCB C Curve 6KA Single Pole - 20a
B6C1-25	MCB C Curve 6KA Single Pole - 25a
B6C1-32	MCB C Curve 6KA Single Pole - 32a
B6C1-40	MCB C Curve 6KA Single Pole - 40a
B6C1-50	MCB C Curve 6KA Single Pole - 50a
B6C1-63	MCB C Curve 6KA Single Pole - 63a



MAINS SWITCH 2 POLE—BS EN60947-3



Part No Description

MS100-2 2 Pole Mains Switch - 100a



BELL TRANSFORMER



Part No Description

BT2 Bell Transformer



MODULAR CONTACTORS | BS EN61095



Part No Description

CNT120-2P 20a 2 Pole 1 Modular N/O Contactor



Part No Description

CNT225-4P 25a 4 Pole 2 Modular N/O Contactor



Part No Description

CNT340-4P 40a 4 Pole 3 Modular N/O Contactor

CNT363-4P 63a 4 Pole 3 Modular N/O Contactor





ESR ENTERPRISE LTD

Unit C1 Ronan Valley Business Park,
Ballyronan Road, Magherafelt, N. Ireland, BT45 6EW

[From UK] Tel: 02879 651850 **Fax:** 020 3163 9963

[From ROI/International] Tel: 0044 28 7965 1850 **Fax:** 0044 20 3163 9963

www.esrenterprise.com

email: sales@esrenterprise.com